

<b>SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS</b> Offeror To Complete Block 12, 17, 23, 24, & 30				1. Requisition Number		Page 1 Of 10	
2. Contract No.		3. Award/Effective Date		4. Order Number		5. Solicitation Number W56HZV-04-Q-1028	
6. Solicitation Issue Date 2004APR01		7. For Solicitation Information Call:		A. Name INGRID E. CUFFARO		B. Telephone Number (No Collect Calls) (586) 574-4288	
8. Offer Due Date/Local Time 2004MAY07 04:00pm		9. Issued By TACOM WARREN BLDG 231 AMSTA-LC-CJTZ WARREN, MICHIGAN 48397-5000  HTTP://CONTRACTING.TACOM.ARMY.MIL  e-mail: CUFFARO@TACOM.ARMY.MIL		Code W56HZV		10. This Acquisition Is <input checked="" type="checkbox"/> Unrestricted <input type="checkbox"/> Set Aside: % For  <input type="checkbox"/> Small Business <input type="checkbox"/> Hubzone Small Business <input type="checkbox"/> 8(A) NAICS: 326211 Size Standard:	
11. Delivery For FOB Destination Unless Block Is Marked <input type="checkbox"/> See Schedule		12. Discount Terms		13a. This Contract Is A Rated Order Under DPAS (18 CFR 700) <input checked="" type="checkbox"/>		13b. Rating DOA4	
14. Method Of Solicitation <input checked="" type="checkbox"/> RFQ <input type="checkbox"/> IFB <input type="checkbox"/> RFP		15. Deliver To SEE SCHEDULE		Code		16. Administered By Code	
17. Contractor/Offeror Code Facility		18a. Payment Will Be Made By Code		18b. Submit Invoices To Address Shown In Block 18a Unless Block Below Is Checked <input type="checkbox"/> See Addendum		17b. Check If Remittance Is Different And Put Such Address In Offer	
19. Item No.		20. Schedule Of Supplies/Services  SEE SCHEDULE  (Use Reverse and/or Attach Additional Sheets As Necessary)		21. Quantity		22. Unit	
23. Unit Price		24. Amount		25. Accounting And Appropriation Data		26. Total Award Amount (For Govt. Use Only)	
<input checked="" type="checkbox"/> 27a. Solicitation Incorporates By Reference FAR 52.212-1, 52.212-4, FAR 52.212-3 And 52.212-5 Are Attached. Addenda				<input checked="" type="checkbox"/> Are <input type="checkbox"/> Are Not Attached.			
<input type="checkbox"/> 27b. Contract/Purchase Order Incorporates By Reference FAR 52.212-4, FAR 52.212-5 Is Attached. Addenda				<input type="checkbox"/> Are <input type="checkbox"/> Are Not Attached.			
<input checked="" type="checkbox"/> 28. Contractor Is Required To Sign This Document And Return 1 Copies to Issuing Office. Contractor Agrees To Furnish And Deliver All Items Set Forth Or Otherwise Identified Above And On Any Additional Sheets Subject To The Terms And Conditions Specified Herein.				<input type="checkbox"/> 29. Award Of Contract: Ref. Offer Dated. Your Offer On Solicitation (Block 5), Including Any Additions Or Changes Which Are Set Forth Herein, Is Accepted As To Items:			
30a. Signature Of Offeror/Contractor				31a. United States Of America (Signature Of Contracting Officer)			
30b. Name And Title Of Signer (Type Or Print)		30c. Date Signed		31b. Name Of Contracting Officer (Type Or Print)		31c. Date Signed	

19. Item No.	20. Schedule Of Supplies/Services	21. Quantity	22. Unit	23. Unit Price	24. Amount

32a. Quantity In Column 21 Has Been

☐ Received ☐ Inspected ☐ Accepted, And Conforms To The Contract, Except As Noted: \_\_\_\_\_

32b. Signature Of Authorized Government Representative		32c. Date	32d. Printed Name and Title of Authorized Government Representative		
32e. Mailing Address of Authorized Government Representative			32f. Telephone Number of Authorized Government Representative		
			32g. E-Mail of Authorized Government Representative		
33. Ship Number		34. Voucher Number	35. Amount Verified Correct For	36. Payment	37. Check Number
<input type="checkbox"/> Partial	<input type="checkbox"/> Final			<input type="checkbox"/> Complete <input type="checkbox"/> Partial <input type="checkbox"/> Final	
38. S/R Account Number	39. S/R Voucher Number	40. Paid By			
41a. I Certify This Account Is Correct And Proper For Payment			42a. Received By (Print)		
41b. Signature And Title Of Certifying Officer			41c. Date	42b. Received At (Location)	
				42c. Date Rec'd (YY/MM/DD)	42d. Total Containers

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-Q-1028 <b>MOD/AMD</b>	<b>Page</b> 2 <b>of</b> 10
<b>Name of Offeror or Contractor:</b>		

SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987)of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil)

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>SUPPLIES OR SERVICES AND PRICES/COSTS</p> <p>Tire, Pneumatic Size: 26-12.00-12 Load Range D Bias, Tubeless Type Industrial Loader/Dozer Grip Regular Group 2 Ditching Machine, USMC Max Load: 27450.0 lbs IAW: CATL-1923</p> <p>The age of the tires when shipped must not be older than 18 months from the date of manufacture or retread.</p> <p>(End of narrative A001)</p>				
0001	<p>NSN: 2610-01-289-9045 FSCM: 81348 PART NR: X/GP2/CLL/TYBA/26-12.00-12 SECURITY CLASS: Unclassified</p>				
0001AA	<p><u>PRODUCTION QUANTITY</u></p> <p>NOUN: TIRE,PNEUMATIC,VEHI PRON: EH4AA322EH PRON AMD: 01 AMS CD: 060011</p> <p><u>Description/Specs./Work Statement</u> QUANTITY VARIATION: 2% OVER 2% UNDER</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: MIL T4 UNIT PACK: 1 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W56HZV4077U252 W45G19 J 2 <u>DEL REL CD QUANTITY DAYS AFTER AWARD</u> 001 33 0030</p>	33	EA	\$ _____	\$ _____

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	FOB POINT: Destination  SHIP TO: <u>PARCEL POST ADDRESS</u> (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184 TEXARKANA TX 75507-5000				

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 5 of 10
	PIIN/SIIN W56HZV-04-Q-1028	MOD/AMD	

Name of Offeror or Contractor:

PACKAGING AND MARKING

2	52.211-4013 (TACOM)	BAR CODE MARKING	JAN/2001
---	------------------------	------------------	----------

a. Bar code markings are required on all containers and loose or unpacked items as specified in MIL-STD-129N, paragraph 4.2.3. The bar code symbology shall comply with AIM BC 1. The following shall be bar coded:

- (1) National Stock Number (NSN)/ NATO stock number shall be bar coded on all unit packs and intermediate containers.
- (2) The exterior container shall be bar coded with the NSN/NATO stock number and the contract or purchase order number(including the call number).
- (3) Items that are serial numbered shall have the serial number bar coded.
- (4) Exterior boxes and crates 10 cubic feet and over shall be bar coded on one end of the container as well as on the identification marked side.
- (5) Contractor or vendor-originated shipments destined for outside continental United States(OCONUS) and shipped through the Defense Transportation System(DTS)(transshipment) shall comply with the address marking instructions in DoD 4500.32-R, Volume I, which requires the address markings to be placed on a bar coded DD Form 1387. For these shipments, bar code labels may be affixed to the DD Form 1387 as an alternative to direct bar coding of the DD Form 1387. Destinations such as Hawaii, Alaska, Puerto Rico, Canada, and Mexico are considered OCONUS sites and require bar coded DD Form 1387 address labels, see MIL-STD-129, paragraph 4.3.

b. Information and illustrations on bar code markings are contained in MIL-STD-129N and in MIL-HDBK-129.  
(end of clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-1028 MOD/AMD	Page 6 of 10
--------------------	---	--------------

**Name of Offeror or Contractor:**

SPECIAL CONTRACT REQUIREMENTS

3	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
4	252.225-7007	BUY AMERICAN ACT--TRADE AGREEMENTS--BALANCE OF PAYMENTS PROGRAM	SEP/2001

CONTRACT CLAUSES

5	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
6	52.247-34	F.O.B. DESTINATION	NOV/1991
7	52.247-54	DIVERSION OF SHIPMENT UNDER F.O.B. DESTINATION CONTRACTS	MAR/1989

8 52.211-16 VARIATION IN QUANTITY APR/1984  
(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:  
2% percent increase; and  
2% percent decrease.

This increase or decrease shall apply to entire quantity of contract.  
(End of clause)

9	52.211-4517 (TACOM)	PACKAGING REQUIREMENTS (COMMERCIAL)	MAR/2004
---	------------------------	-------------------------------------	----------

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial  
LEVEL OF PACKING: Commercial  
QUANTITY PER UNIT PACKAGE: 1

(1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.

(2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

(3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

(4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

(b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

(d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:

- (1) The quantity is over one (1) gross of the same national stock number,
- (2) Use enhances handling and inventorying,
- (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
- (4) The unit pack is less than 64 cubic inches,
- (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-Q-1028 <b>MOD/AMD</b>	<b>Page</b> 7 <b>of</b> 10
<b>Name of Offeror or Contractor:</b>		

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

(f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: <[http://www.asset-trak.com/catt/msl\\_irrd/mslirrdmain.htm](http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm)> This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<<http://milpac.com/>>) and Easysoft Corporation (<<http://easysoftcorp.com/>>). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(h) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations  
 International Maritime Dangerous Goods Code (IMDG)  
 Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49  
 Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO



<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-Q-1028 <b>MOD/AMD</b>	<b>Page</b> 8 <b>of</b> 10
<b>Name of Offeror or Contractor:</b>		

P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

(4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

(k) SUPPLEMENTAL INSTRUCTIONS: none

[End of Clause]

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-Q-1028 <b>MOD/AMD</b>	<b>Page</b> 9 <b>of</b> 10
---------------------------	--	----------------------------

**Name of Offeror or Contractor:**

REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS

10                      52.212-4860                      ELECTRONIC QUOTATIONS REQUIRED - COMMERCIAL ITEMS                      DEC/2002  
(TACOM)

1. You must submit your quotation via paperless electronic media (See paragraph 2 below.). Unless paper copies are specifically requested elsewhere in this solicitation, quotations submitted in paper form are unacceptable. You must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:

(i) Files readable using these Microsoft\* 97 Office Products (TACOM can currently read Office 97\* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable. Executable files, other than self-extracting compressed files, are unacceptable.

(ii) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.

(iv) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files. Executable files other than self-extracting compressed files are unacceptable.

2. Acceptable media: 100 or 250 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.

(a) 100 or 250 MEGABYTE ZIP\*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).

(b) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION --[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".

(c) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph 5 below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e-mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Unless specifically instructed otherwise in this Request For Quotation, select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 or 250 megabyte Zip\*-disk AND e-mail.

3. Commercial product literature in support of technical proposals shall be provided in electronic format in accordance with the format guidelines above. If this literature is unavailable in electronic format, the offeror shall provide a brief description of it in his offer, and shall retain this hard copy literature for possible later review by the Contracting Officer.

4. Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM at least ten days prior to submitting the protected file. Contact the buyer to arrange a means of providing the password. Passwords used only for the purpose of write protecting files need not be provided.

5. Electronic quotations should include, as a minimum:

(a) The SF18 cover sheet filled out, or equivalent information.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-Q-1028 <b>MOD/AMD</b>	<b>Page 10 of 10</b>
---------------------------	---	----------------------

**Name of Offeror or Contractor:**

(b) All applicable fill-in provisions, filled in. You may find Word versions of Section K provisions requiring your fill-in on our TACOM Business Opportunities webpage (<http://contracting.tacom.army.mil/mastersol/sectionk.htm>). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.

(c) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.

(d) Any other information required by the Request for Quotations.

6. Quoters shall make every effort to ensure that their quotation is virus-free.

\*Registered trademark

[end of provision]